

OSRAM BLUE UV-A

Lâmpadas ultravioletas




Benefícios do produto

- Baixo conteúdo de mercúrio



Ficha técnica da família de produto



325771_HNS S

Ficha técnica da família de produto

Dados técnicos

Descrição do produto	Informação de Produto	Dados Elétricos				
	Referência do pedido	Tensão da lâmpada	Corrente da lâmpada	Potência nominal	Tensão nominal	Tensão de construção
DULUX S BL UVA 9 W/78	DUL S BL UVA 9W	60 V	0,18 A	9,00 W		
DULUX S BL UVA 11 W/78	DUL S BL UVA 11	90 V	0,16 A	11,80 W		
DULUX S BL 9 W/71 ¹⁾	DULUX S BLUE 9W	60 V	0,17 A	9,00 W		
DULUX S BL 350 9 W/79	DULUX S 9W/79 6	60 V	0,17 A	9,00 W	60,0 V	60,00 V
DULUX L BL 18 W/71 ²⁾	DULUX L BLUE 18	110 V	0,37 A	18,00 W		
DULUX L BL UVA 18 W/78	DUL L BL UVA 18	61 V	0,32 A	18,00 W		
DULUX L BL UVA 24 W/78	DUL L BL UVA 24	46 V	0,35 A	24,00 W		
DULUX L BL UVA 36 W/78	DUL L BL UVA 36	94 V	0,43 A	36,00 W		
DULUX L BL UVA 55 W/78	DUL L BL UVA 55	94 V	0,43 A	55,00 W		
L BLUE UVA 8 W/78 G5	L BL UVA 8W/78	60 V	0,2 A	8,00 W		
L BLUE UVA 15 W/78 G13	L BLUE 15W/78 2	55 V	0,33 A	15,00 W	55 V	230,00 V
L BLUE UVA 15 W/78 G5	L BL UVA 15W/78	55 V	0,4 A	15,00 W		
L BLUE UVA 18 W/78	L BLUE 18W/78 2	55 V	0,37 A	18,00 W	55 V	230,00 V

Descrição do produto	Dados fotométricos		Dimensões e peso		Espectativa de Vida	Informação adicional do produto
	Intensidade luminosa	Fluxo luminoso nominal	Diâmetro	Comprimento	Vida mediana	Soquete (base)
DULUX S BL UVA 9 W/78	7800 cd		12,0 mm	165,5 mm	2000 h	G23
DULUX S BL UVA 11 W/78	7800 cd		12,0 mm	234,5 mm	2000 h	G23
DULUX S BL 9 W/71 ¹⁾	7800 cd		12,0 mm	167,0 mm	2000 h	G23
DULUX S BL 350 9 W/79	7800 cd		12,0 mm	165,5 mm	2000 h	G23
DULUX L BL 18 W/71 ²⁾	7800 cd		18,0 mm	227,0 mm	2000 h	2G11
DULUX L BL UVA 18 W/78	7800 cd		18,0 mm	217,0 mm	5000 h	2G11
DULUX L BL UVA 24 W/78	7800 cd		18,0 mm	317,0 mm	9000 h	2G11
DULUX L BL UVA 36 W/78	7800 cd	2900 lm	18,0 mm	408,0 mm	5000 h	2G11
DULUX L BL UVA 55 W/78	7800 cd		18,0 mm	533,0 mm	9000 h	2G11
L BLUE UVA 8 W/78 G5	7800 cd		16,0 mm	288,0 mm	5000 h	G5
L BLUE UVA 15 W/78 G13	7800 cd		26,0 mm	438,0 mm	8000 h	G13

Ficha técnica da família de produto

	Dados fotométricos		Dimensões e peso		Espectativa de Vida	Informação adicional do produto
Descrição do produto	Intensidade luminosa	Fluxo luminoso nominal	Diâmetro	Comprimento	Vida mediana	Soquete (base)
L BLUE UVA 15 W/78 G5	7800 cd		16,0 mm	288,0 mm	5000 h	G5
L BLUE UVA 18 W/78	7800 cd		26,0 mm	590,0 mm		G13

	Atributos	Environmental information Information according Art. 33 of EU Regulation (EC) 1907/2006 (REACH)		
Descrição do produto	Posição de funcionamento	Date of Declaration	Primary Article Identifier	Candidate List Substance 1
DULUX S BL UVA 9 W/78	s180	05-03-2024	4052899125094	Lead
DULUX S BL UVA 11 W/78	s180	05-03-2024	4052899037885	Lead
DULUX S BL 9 W/71 ¹⁾	s180	05-03-2024	4008321198860	Lead
DULUX S BL 350 9 W/79	s180	04-02-2022	4008321772220	Lead
DULUX L BL 18 W/71 ²⁾	s180	05-03-2024	4008597124341 4008321198884	Lead
DULUX L BL UVA 18 W/78	s180	05-03-2024	4008321198990	Lead
DULUX L BL UVA 24 W/78	s180	06-03-2024	4052899037984	Lead
DULUX L BL UVA 36 W/78	s180	06-03-2024	4008321875303	Lead
DULUX L BL UVA 55 W/78	s180	06-03-2024	4008321894618	Lead
L BLUE UVA 8 W/78 G5	s180	06-03-2024	4052899077355 4052899304574	Lead
L BLUE UVA 15 W/78 G13	s180	29-03-2024	4008321880482 4052899290631 4055462135155	Lead
L BLUE UVA 15 W/78 G5	s180	06-03-2024	4052899077386 4055462056030 4052899289796	Lead
L BLUE UVA 18 W/78	s180	29-03-2024	4008321880468 4052899290655	Lead

Descrição do produto	CAS No. of substance 1	Safe Use Instruction	Declaration No. in SCIP database
DULUX S BL UVA 9 W/78	7439-92-1	The identification of the Candidate List substance is sufficient to allow safe use of the article.	23452901-3a71-45c8-b586-976562ba1478
DULUX S BL UVA 11 W/78	7439-92-1	The identification of the Candidate List substance is sufficient to allow safe use of the article.	24DBBD8C-84A2-4359-8C5A-E00F19910EA6

Ficha técnica da família de produto

Descrição do produto	CAS No. of substance 1	Safe Use Instruction	Declaration No. in SCIP database
DULUX S BL 9 W/71 ¹⁾	7439-92-1	The identification of the Candidate List substance is sufficient to allow safe use of the article.	62902106-194b-4cd8-8f69-c438b4ad25b1
DULUX S BL 350 9 W/79	7439-92-1	The identification of the Candidate List substance is sufficient to allow safe use of the article.	EFCF3F3F-BE41-464A-ABC8-B16423AC9CF9
DULUX L BL 18 W/71 ²⁾	7439-92-1	The identification of the Candidate List substance is sufficient to allow safe use of the article.	3da54281-50a4-475a-a2fa-b0243ed80600 53AFAADA-2266-469D-8275-CCE9C0FA7336
DULUX L BL UVA 18 W/78	7439-92-1	The identification of the Candidate List substance is sufficient to allow safe use of the article.	98D6BB3C-2CA7-4FF0-A0B3-1E6A0C14F27C
DULUX L BL UVA 24 W/78	7439-92-1	The identification of the Candidate List substance is sufficient to allow safe use of the article.	EB373377-7B31-4F99-9646-7C87F8305098
DULUX L BL UVA 36 W/78	7439-92-1	The identification of the Candidate List substance is sufficient to allow safe use of the article.	17A39CF0-987C-4705-B515-E4BC072F44A0
DULUX L BL UVA 55 W/78	7439-92-1	The identification of the Candidate List substance is sufficient to allow safe use of the article.	680de32d-ab57-4fca-937f-c3d8432fc3e1
L BLUE UVA 8 W/78 G5	7439-92-1	The identification of the Candidate List substance is sufficient to allow safe use of the article.	61a6dedf-b508-41ff-a68a-5dc651517c7b C8D8A6B3-3066-4C32-85A5-75A8433EC669

Ficha técnica da família de produto

Descrição do produto	CAS No. of substance 1	Safe Use Instruction	Declaration No. in SCIP database
L BLUE UVA 15 W/78 G13	7439-92-1	The identification of the Candidate List substance is sufficient to allow safe use of the article.	456910b9-a3a6-4971-9273-773791b8749a 5c976211-658b-4f97-b5a0-91a82bca6206 6156E870-DCC5-49D2-A800-AD2198ABA78C
L BLUE UVA 15 W/78 G5	7439-92-1	The identification of the Candidate List substance is sufficient to allow safe use of the article.	b14176ac-a27d-4595-8f29-725b6791ffd7 ea6ba1c7-642e-46ce-8a1b-f643f382e033 7EB6515E-B2E9-48E3-9FDF-ADA97F6D58F7
L BLUE UVA 18 W/78	7439-92-1	The identification of the Candidate List substance is sufficient to allow safe use of the article.	975e0196-225e-4fd6-96ac-64a27427deef 45aaf144-c8b2-4ad6-9e90-bf562f6c1931

1) 2,3 W a 400...550 nm

2) 4,2 W a 400...550 nm

Ficha técnica da família de produto

Informações sobre aplicações

Para obter mais informações sobre aplicações e gráficos acesse a ficha técnica do produto.

Retração

Sujeito a alteração sem prévio aviso. Sempre utilize a versão mais recente.