OSRAM

ORIGINAL LINE

Original spare part





The cost-effective original spare parts for motorcycles

OSRAM ORIGINAL LINE motorcycle lamps offer convincing performance for standard requirements, are robust and cost-effective. They have already been successfully used in millions of new vehicles from renowned manufacturers, whether as standard initial equipment or original spare parts. Convince yourself of the excellent value for money, the reliable OEM quality and the wide product range of the ORIGINAL LINE.

Technical data

	Product information	General Product Information	Electrical	Electrical Data		
Product description	Application (Category and Product specific)	Global order reference	Power input	Nominal voltage	Nominal wattage	
ORIGINAL LINE S1	Halogen headlight lamp	64326	40 W ¹⁾	12 V	25/25 W	
ORIGINAL LINE S2	Halogen headlight lamp	64327	40 W ¹⁾	12 V	35/35 W	
ORIGINAL LINE HS1	Halogen headlight lamp	64185	36.8 / 36.8 W 1)	12 V	35 W	

		Physical Attribute	Physical Attributes & Dimensions		
Product description	Test voltage	Lamp base	Length	Diameter	
ORIGINAL LINE S1	13.2 V	BA20d	67.0 mm	15.0 mm	
ORIGINAL LINE S2	13.2 V	BA20d	71.0 mm	14.7 mm	
ORIGINAL LINE HS1	13.2 V	PX43t	85.0 mm	16.5 mm	

		Lifetime D	Lifetime Data		Certificates & standards	Environmental & Regulatory Information Information according Art. 33 of EU Regulation (EC) 1907/2006 (REACh)
Product description		Lifespan B3	•	Technology	ECE category	Primary article identifier
ORIGINAL LINE S1	15.0 mm	100 / 200 hr	200 / 400 hr	HAL	S1	4050300942650 4052899157774
ORIGINAL LINE S2	14.7 mm	100 / 200 hr	180 / 400 hr	HAL	52	4052899136786 4052899136755 4052899929692 4062172184670 4008321183309 4050300942629 4052899593626
ORIGINAL LINE HS1	16.5 mm	75 / 150 hr ²⁾	150 / 300 hr ²⁾	HAL	HS1	4062172180771 4008321508805 4052899253575 4052899418042 4052899253513 4052899408418 4008321056740 4008321056764 4050300439969 4062172395588

Product description	Candidate list substance 1	Declaration no. in SCIP database
ORIGINAL LINE S1	No declarable	No declarable
	substances contained	substances contained
ORIGINAL LINE S2	No declarable	No declarable
	substances contained	substances contained
ORIGINAL LINE HS1	No declarable	No declarable
	substances contained	substances contained

¹⁾ _{Maximum}

²⁾ Filament 1

Download Data

	File
7	User instruction GPRS_Safety symbols instructions
	ref_pim_amsp_product360degreeimages ORIGINAL S1 64326
	ref_pim_amsp_product360degreeimages ORIGINAL MOTORCYCLE S2 64327
	ref_pim_amsp_product360degreeimages ORIGINAL MOTORCYCLE HS1 64185

Application advice

For more detailed application information and graphics please see product datasheet.

Disclaimer

Subject to change without notice. Errors and omission excepted. Always make sure to use the most recent release.





A 承







1.0 ⊙ 2. ⊂=□ ⇔ [

