

ORIGINAL - METAL BASE

Original spare part



The cost-effective original spare parts for motorcycles

Discover OSRAM's ORIGINAL signal lamps with metal bases - high-quality original spare parts for motorcycle lamps. Due to the wide product range, the lamps can be used for different applications. Use these lamps for example as position and parking lights or for number plate and side position lights of your motorcycle.

Product family datasheet

Technical data

	Product information	General Product Information	Electrical Data		
Product description	Application (Category and Product specific)	Global order reference	Power input	Nominal voltage	Nominal wattage
ORIGINAL - METAL BASE H21W	Auxiliary lamp	64136	25 W	12 V	21 W
ORIGINAL - METAL BASE P21/4W	Auxiliary lamp	7225	25 / 5 W	12 V	21/4 W
ORIGINAL - METAL BASE P21/5W	Auxiliary lamp	7528	25 / 6 W	12 V	21/5 W
ORIGINAL - METAL BASE P21W	Auxiliary lamp	7506	25 W	12 V	21 W
ORIGINAL - METAL BASE R10W	Auxiliary lamp	5008	10 W	12 V	10 W
ORIGINAL - METAL BASE PY21W ¹⁾	Auxiliary lamp	7507	25 W	12 V	21 W
ORIGINAL - METAL BASE R5W	Auxiliary lamp	5007	5 W	12 V	5 W
ORIGINAL - METAL BASE RY10W ¹⁾	Auxiliary lamp	5009NA	10 W	12 V	10 W
ORIGINAL - METAL BASE T4W	Auxiliary lamp	3893	4 W	12 V	4 W
ORIGINAL - METAL BASE 3860	Auxiliary lamp	3860	5 W	12 V	5 W
ORIGINAL - METAL BASE 3796	Auxiliary lamp	3796	2 W	12 V	2 W

Product description	Power input tolerance	Test voltage	Photometric Data	Physical Attributes & Dimensions	
			Nominal luminous flux	Lamp base	Length
ORIGINAL - METAL BASE H21W	±5 %	13.5 V	600 lm	BAY9s	38.9 mm
ORIGINAL - METAL BASE P21/4W	±6 / ±10 %	13.5 / 13.5 V	440/15 lm	BAZ15d	49.5 mm
ORIGINAL - METAL BASE P21/5W	±6 / ±10 %	13.5 / 13.5 V	440/35 lm	BAY15d	52.5 mm
ORIGINAL - METAL BASE P21W	±6 %	13.5 V	460 lm	BA15s	52.5 mm
ORIGINAL - METAL BASE R10W	±10 %	13.5 V	125 lm	BA15s	37.5 mm
ORIGINAL - METAL BASE PY21W ¹⁾	±6 %	13.5 V	280 lm	BAU15s	52.6 mm
ORIGINAL - METAL BASE R5W	±10 %	13.5 V	50 lm	BA15s	37.5 mm
ORIGINAL - METAL BASE RY10W ¹⁾	±10 %	13.5 V	75 lm	BAU15s	37.5 mm
ORIGINAL - METAL BASE T4W	±10 %	13.5 V	35 lm	BA9s	27.4 mm
ORIGINAL - METAL BASE 3860	±15 %	13.5 V	50 lm	BA9s	27.4 mm
ORIGINAL - METAL BASE 3796	±8 %	13.5 V	12.5 lm	BA9s	23.9 mm

Product description	Diameter	Diameter	Lifetime Data		Capabilities
			Lifespan B3	Lifespan Tc	Technology
ORIGINAL - METAL BASE H21W	9 mm	9 mm	240 hr	480 hr	AUX
ORIGINAL - METAL BASE P21/4W	25.0 mm	25.0 mm	180 / 1250 hr ²⁾	290 / 4000 hr ²⁾	AUX
ORIGINAL - METAL BASE P21/5W	26.5 mm	26.5 mm	180 / 1250 hr ²⁾	290 / 4000 hr ²⁾	AUX
ORIGINAL - METAL BASE P21W	26.5 mm	26.5 mm	250 hr	500 hr	AUX
ORIGINAL - METAL BASE R10W	19.0 mm	19.0 mm	350 hr	800 hr	AUX
ORIGINAL - METAL BASE PY21W ¹⁾	25.0 mm	25.0 mm	250 hr	500 hr	AUX
ORIGINAL - METAL BASE R5W	16.0 mm	16.0 mm	350 hr	800 hr	AUX

Product family datasheet

Product description	Diameter	Diameter	Lifetime Data		Capabilities
			Lifespan B3	Lifespan Tc	Technology
ORIGINAL - METAL BASE RY10W ¹⁾	16.0 mm	16.0 mm	350 hr	800 hr	AUX
ORIGINAL - METAL BASE T4W	8.8 mm	8.8 mm	600 hr	1200 hr	AUX
ORIGINAL - METAL BASE 3860	9 mm	9 mm	400 hr	1000 hr	AUX
ORIGINAL - METAL BASE 3796	9 mm	9 mm	300 hr	750 hr	AUX

Product description	Certificates & standards	Environmental & Regulatory Information Information according Art. 33 of EU Regulation (EC) 1907/2006 (REACH)		
	ECE category	Primary article identifier	Candidate list substance 1	Declaration no. in SCIP database
ORIGINAL - METAL BASE H21W	H21W	4050300883335 4008321379382 4062172262316 4008321095190 4008321379320	No declarable substances contained	No declarable substances contained
ORIGINAL - METAL BASE P21/4W	P21/4W	4008321593009 4062172121378 4052899402119 4008321671875 4050300925547 4062172121033 4008321163974 4050300891514 4062172396226 4062172091749 4062172396202	No declarable substances contained	No declarable substances contained
ORIGINAL - METAL BASE P21/5W	P21/5W	4052899402195 4052899593497 4052899402171 4008321671837 4062172396448 4062172415774 4062172396424 4008321536037 4062172121279 4008321912565 4062172121293 4050300838069 4050300925523 4062172141376 4062172121255	No declarable substances contained	No declarable substances contained

Product family datasheet

Product description	Certificates & standards	Environmental & Regulatory Information Information according Art. 33 of EU Regulation (EC) 1907/2006 (REACH)		
	ECE category	Primary article identifier	Candidate list substance 1	Declaration no. in SCIP database
ORIGINAL - METAL BASE P21W	P21W	4062172285353	No declarable substances contained	No declarable substances contained
		4008321671899		
		4050300838120		
		4052899593473		
		4052899402034		
		4062172415798		
		4062172048668		
		4062172285339		
		4062172396325		
		4052899402058		
		4062172396301		
		4062172016803		
		4062172188241		
		4052899040892		
		4050300925448		
		4062172188289		
		4008321618313		
		4008321618467		
		4052899581562		
		4008321417428		
		4050300609171		
ORIGINAL - METAL BASE R10W	R10W	4052899407992	No declarable substances contained	No declarable substances contained
		4052899407176		
		4050300925608		
		4062172396066		
		4008321163707		
		4062172396042		
		4008321186751		
		4050300838212		
ORIGINAL - METAL BASE PY21W ¹⁾	PY21W	4062172415873	No declarable substances contained	No declarable substances contained
		4008321355263		
		4008321652911		
		4062172396363		
		4062172051231		
		4062172049962		
		4062172396349		
		4052899531178		
		4008321536013		
		4008321417541		
		4062172188463		
		4008321618603		
		4050300891477		
		4062172072304		
		4062172188425		
		4062172188449		
		4062172200967		
		4050300925462		
		4052899137455		

Product family datasheet

Product description	Certificates & standards	Environmental & Regulatory Information Information according Art. 33 of EU Regulation (EC) 1907/2006 (REACH)		
	ECE category	Primary article identifier	Candidate list substance 1	Declaration no. in SCIP database
ORIGINAL - METAL BASE R5W	R5W	4050300838427 4008321186737 4050300879413 4062172415842 4008321355232 4062172396028 4052899407015 4050300925585 4062172396004	No declarable substances contained	No declarable substances contained
ORIGINAL - METAL BASE RY10W ¹⁾	RY10W	4062172252553 4062172062541 4062172159692	No declarable substances contained	No declarable substances contained
ORIGINAL - METAL BASE T4W	T4W	4050300992631 4052899407381 4050300838489 4062172395984 4050300647609 4062172395960	No declarable substances contained	No declarable substances contained
ORIGINAL - METAL BASE 3860	-	4008321095756	No declarable substances contained	No declarable substances contained
ORIGINAL - METAL BASE 3796	-	4050300891309 4050300887470	No declarable substances contained	No declarable substances contained

¹⁾ Amber lamp for clear indicators

²⁾ Filament 1

Download Data

File	
	User instruction GPRS_Safety symbols instructions
	ref_pim_amsproduct360degreeimages ORIGINAL P21W 7506
	ref_pim_amsproduct360degreeimages ORIGINAL R10W 5008
	ref_pim_amsproduct360degreeimages ORIGINAL PY21W 7507
	ref_pim_amsproduct360degreeimages ORIGINAL R5W 5007
	ref_pim_amsproduct360degreeimages ORIGINAL RY10W 5009

Application advice

For more detailed application information and graphics please see product datasheet.

Disclaimer

Subject to change without notice. Errors and omission excepted. Always make sure to use the most recent release.

