

NIGHT BREAKER LED SMART H4

NIGHT BREAKER LED SMART H4



Street-Legal¹⁾

The NIGHT BREAKER LED family - OSRAM's first street-legal¹⁾ LED retrofit lamps



Up to 330% more brightness²⁾ & 6000K

See and be seen with OSRAM. Cool white color temperature similar to daylight. For more safety on the road, especially when driving at night



Up to 6 times longer lifetime³⁾

Vibration resistant, environmentally friendly, and cost-efficient



5 Year OSRAM Guarantee⁴⁾

Systematic quality assurance measures underpin the premium workmanship and functionality of our products. Innovative technology and excellent quality really pay dividends for our customers

Exceptionally bright, innovatively compact, widely applicable, broadly compatible, particularly durable and, of course, street-legal¹⁾ That's the new NIGHT BREAKER LED SMART from OSRAM.

Experience the next milestone from OSRAM and discover completely new terrain in the world of street-legal¹⁾ LED retrofit lamps with the NIGHT BREAKER LED SMART from OSRAM. The new highlight from OSRAM for automotive and vehicle enthusiasts and of course for everyone else. This new highlight from OSRAM raises vision & visibility, durability & compatibility, reliability & safety to the next level. OSRAM's street-legal¹⁾ LED lamps set new standards in terms of innovation, precision, versatility and functionality.



They lead the way in terms of brightness, lifetime, vehicle compatibility, design and much more.

With the street-legal¹⁾ NIGHT BREAKER LED SMART, its innovative compact design, sophisticated construction and exceptional brightness, it is now possible to switch from traditional halogen lamps to advanced OSRAM LED technology in even more vehicles⁵⁾.

With the street-legal¹⁾ NIGHT BREAKER LED SMART you can now upgrade the function of your high- and low beam lights of your vehicle to state-of-the-art LED technology. These LED replacement lamps are suitable as a replacement for conventional lamps and bases. They offer a modern and bright white light with a color temperature of up to 6000 Kelvin and impress with up to 330% more brightness²⁾, while the glare of other road users falls below the permissible maximum values by up to 50%²⁾. In comparison to standard lamps, such as halogen lamps, these LED retrofit lamps consume up to 60% less energy and convince thanks to the LED technology and the specially developed vibration-resistant design, with up to 6 times longer life time³⁾. You can now replace your conventional vehicle lamps with OSRAM's revolutionary NIGHT BREAKER LED retrofit lamps and experience trend-setting brightness with road approval¹⁾. Additionally, OSRAM offers a dedicated guarantee on all NIGHT BREAKER LED retrofit lamps²⁾.

Product family datasheet

Technical data

| Product description | Product information | | | |
|----------------------------|---------------------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------------------------------------------------|-----------------------------------------------|
| | Application (Category and Product specific) | Product legal advice 1 | Product legal advice 2 | Product legal advice 3 |
| NIGHT BREAKER SMART H4 LED | High and low beam | 1) Approved LED light source - only applies to the respective countries in which there is approval or to which an equivalent approval applies and the vehicle models and light functions currently listed in the compatibility list. For more details see www.osram.com/nb-led | 2) In comparison to the minimum requirements of ECE R112, while the glare is below the maximum permissible values by up to 50% | 3) In comparison to traditional Halogen lamps |

| Product description | Product legal advice 4 | General Product Information | Electrical Data | | | |
|----------------------------|-----------------------------------------------------------------------------------------------------------------------|-----------------------------|-----------------|-----------------------|-------------|-----------------|
| | | Global order reference | Test voltage | Power input tolerance | Power input | Nominal voltage |
| NIGHT BREAKER SMART H4 LED | 4) For precise conditions please refer to: www.osram.com/am-guarantee | 64193DWNBSM-2HB | 13.2 V | ±15 % | 21.0 / 20 W | 12 V |

| Product description | Photometric Data | | | | Physical Attributes & Dimensions |
|----------------------------|-------------------|-----------------------|-------------------------|-----------------|----------------------------------|
| | Color temperature | Nominal luminous flux | Luminous flux tolerance | Light color LED | Product weight |
| NIGHT BREAKER SMART H4 LED | 6000 K | 1650/1000 lm | ±15 % | Cool white | 73.00 g |

| Product description | Length | Lifetime Data | | Capabilities | Certificates & standards |
|----------------------------|---------|---------------|-------------|--------------|--------------------------|
| | | Lifespan Tc | Lifespan B3 | Technology | ECE category |
| NIGHT BREAKER SMART H4 LED | 84.0 mm | 3000 hr | 1500 hr | LED | |

Product family datasheet

| | | Environmental & Regulatory Information Information according Art. 33 of EU Regulation (EC) 1907/2006 (REACH) | | |
|----------------------------|-----------|--------------------------------------------------------------------------------------------------------------------|----------------------------|------------------------|
| Product description | Standards | Primary article identifier | Candidate list substance 1 | CAS No. of substance 1 |
| NIGHT BREAKER SMART H4 LED | ABG | 4062172398138 4062172398176 | Lead | 7439-92-1 |

| Product description | Safe use instruction | Declaration no. in SCIP database |
|----------------------------|----------------------------------------------------------------------------------------------------|-----------------------------------------------------------------------------|
| NIGHT BREAKER SMART H4 LED | The identification of the Candidate List substance is sufficient to allow safe use of the article. | 4b407766-600f-4255-940f-c68138046ff2 ba969ad5-de6c-4f08-9354-c3c028947f82 |

Download Data

| File | |
|-----------------------------------------------------------------------------------|------------------------------------------------------|
|  | User instruction GPRS_Safety symbols instructions |

Safety advice

Application advice:For more detailed application information and graphics please see product datasheet and user manual.

Legal advice

- 1) Approved LED light source - only applies to the respective countries in which there is approval or to which an equivalent approval applies and the vehicle models and light functions currently listed in the compatibility list. For more details see www.osram.com/nb-led
- 2)Compared to the minimum requirements of ECE R112, while the glare is below the maximum permissible values by up to 50%
- 3) In comparison to traditional Halogen lamps
- 4) For precise conditions please refer to: www.osram.com/am-guarantee
- 5) In comparison to the previous versions of NIGHT BREAKER LEDs

Application advice

For more detailed application information and graphics please see product datasheet.

Disclaimer

Subject to change without notice. Errors and omission excepted. Always make sure to use the most recent release.

