

LEDguardian TRUCK FLARE Signal TA19 Essential

LEDguardian TRUCK FLARE Signal TA19 Essential




Street legal

Street legal according to §53a StVZO. Use is also permitted in other EU countries¹⁾



Versatile applications

Mandatory in Germany for vehicles $\geq 3.5t$ and for vehicles $< 3.5t$ optional and recommended also in other countries



Robust and reliable

Water, dust and shock resistant



Ready for use immediately after purchase

Batteries included in scope of delivery

Light is safety – See and be seen with OSRAM

Our powerful LEDguardian TRUCK FLARE Signal TA19 Essential offers improved visibility and therefore increased safety for you and other road users. With 3 high-performance, long-life LEDs and a bright orange flashing light you can draw attention to yourself by day and night, and preventively alert other road users about a dangerous situation. The warning light is street legal and mandatory in Germany for vehicles $\geq 3.5t$ according to §53a TA19 StVZO, but it can also be used in other countries and for various vehicle types.¹⁾ Its compact design allows for convenient storage within easy reach in your vehicle. Thanks to its fold-out, robust feet, it can be quickly and easily set up next to the warning triangle. In addition, the rubberized standing feet provide non-slip stability, even in wind force 9. With an operating time of over 15 hours, the LEDguardian TRUCK FLARE Signal TA19 Essential offers long-lasting performance. The integrated test function allows you to check the battery capacity at any time. It is CE and GGVS/ADR certified²⁾, ensuring it meets the safety standards.

With an IP54 and IK06 protection rating, the LED warning light is resistant to the ingress of water and dust as well as insensitive to impacts and shocks. The package includes 4 x AA batteries, making the warning light ready for use immediately after purchase. Additionally, OSRAM provides a 2-year guarantee³⁾ on this product.

Ficha técnica da família de produto

Dados técnicos

	Informação de Produto	Informações Gerais do Produto	Dados Elétricos	
Descrição do produto	Aplicação (Categoria e Produto específico)	Referência de pedido global	Potência nominal	Tensão nominal
LEDguardian TA19 Essential	Warning and safety lights	LEDSL106	3 W	6.0 V

	Dados fotométricos		Physical Attributes & Dimensions	
Descrição do produto	Temperatura de cor	LED de cor clara	Peso do produto	Comprimento
LEDguardian TA19 Essential	2000 K	laranja	566.00 g	237.0 mm

			Espectativa de Vida	Informação adicional do produto
Descrição do produto	Largura	Altura	Garantia	Tipo de Bateria
LEDguardian TA19 Essential	91.0 mm	43.0 mm	2 anos	Alkaline

	Atributos	Normas e Certificações	Informações Ambientais e Regulamentares Information according Art. 33 of EU Regulation (EC) 1907/2006 (REACH)	
Descrição do produto	Tecnologia	IK Classe	Lista de candidatos substância 1	CAS No. da substância 1
LEDguardian TA19 Essential	LED	IK06	Lead	7439-92-1

Descrição do produto	Instruções de uso seguro	Número da declaração no banco de dados SCIP
LEDguardian TA19 Essential	A identificação da substância da Lista de Candidatos é suficiente para permitir o uso seguro do artigo.	2dfb9ae0-4f69-449a-8593-c11395032197

Download Data

Arquivo	
	User instruction GPRS_Instruções dos símbolos de segurança
	User instruction LEDguardian TRUCK FLARE Signal TA19 ESSENTIAL

Informação de legislação

1) Use is also permitted in other EU countries, provided that the respective national regulations are complied with2) Approved in dangerous goods transports according to European Agreement concerning the International Carriage of Dangerous Goods by Road & Dangerous Goods Regulation Road3) For precise conditions please refer to: www.osram.com/am-guaranteeApplication advice:

For more detailed application information and graphics please see product datasheet and user manual.

Informações sobre aplicações

Para obter mais informações sobre aplicações e gráficos acesse a ficha técnica do produto.

Retratação

Sujeito a alteração sem prévio aviso. Sempre utilize a versão mais recente.