## **OSRAM**


# LEDinspect TORCH 250 ESSENTIAL



**Bright LED output** 250 Lumen output to illuminate the dark effortlessly



2x AAA Batteries included





Convenient pocket clip Attach the torch to jeans, backpacks and more with ease



## 250 Lumen adjustable torch for versatile use

The OSRAM LEDinspect™ TORCH 250 ESSENTIAL is a versatile and durable LED torch designed for both professional and everyday use. With its robust aluminium construction, this torch is built to withstand tough conditions while remaining lightweight and easy to carry.

Offering 250 lumens on High, the adjustable focus allows you to switch between a wide floodlight or a precise spotlight with a simple twist of the head. Three lighting modes - High, Low, and Flash - provide flexibility for various situations, from detailed inspections to emergency

Designed for convenience, the built-in pocket clip keeps the torch securely within reach, while the IP44 rating ensures protection against dust and water splashes. Powered by 2x AAA batteries, it delivers up to 2 hours of runtime on High and an extended 6 hours on Low, making it an essential tool for workshops, garages, and on-the-go use.

## Product family datasheet

## Technical data

	Product information	General Produc	:t	Electrical Data	
Product description	Application (Category and Product specific)	Global order reference		Nominal voltage	Nominal wattage
INSPECTION LAMP	LED inspection lights	LEDIL427ESN		3 V	2 W
	Photometric Data		Physica	ıl Attributes & Dimensi	ons

	Photometric Data		Physical Attributes & [	imensions
Product description	Light color LED	Nominal luminous flux	Height	Width
INSPECTION LAMP	White	250 lm	132.5 mm	18.5 mm

			LED module information	Colors & materials
Product description	Length	Product weight	Number of LEDs per module	Base color
INSPECTION LAMP	18.5 mm	38.00 g	1	Black / Orange

	Lifetime Data	Capabilities	Environmental & Regulatory Information Information according Art. 33 of EU Regulation (EC) 1907/2006 (REACh)	
Product description	Guarantee	Technology	Candidate list substance 1	CAS No. of substance 1
INSPECTION LAMP	2 years	LED	Lead	7439-92-1

	SCIP database
c Candidate List ostance is ficient to allow e use of the	96f1bb59-3891- 45a4-82d3- a54759789587
1	Candidate List stance is ficient to allow

## Product family datasheet

## Download Data

#### File



User instruction
GPRS\_Safety symbols instructions

## **Application advice**

For more detailed application information and graphics please see product datasheet.

#### **Disclaimer**

Subject to change without notice. Errors and omission excepted. Always make sure to use the most recent release.