Product family datasheet

# LEDriving SL P27/7W WHITE

Ideal replacement for any vehicle



Suitable for various vehicle exterior applications Available in Cool White



**Replaces conventional P27/7W lamps** Easy upgrade to LED technology with

plug & play solutions



Reliable OSRAM quality stands for less lamp replacements 4-year OSRAM guarantee (refer to www.osram.com/am-guarantee for precise conditions)



#### Suitable LED replacement for P27/7W

LEDriving SL P27/7W replacement lamps offer a modern and intense light with a color temperature up to 6,000 Kelvin. These replacement lamps are suitable for all conventional P27/7W lamp bases. In comparison to standard lamps, these LED retrofit lamps use up to 80% less energy. OSRAM offers a 4 year guarantee for these LEDriving SL lamps. These products do not have ECE approval and must not be used on public roads in any exterior application. Public roads use leads to cancellation of operating license and loss of insurance coverage. Several countries forbid sale and use of these products. Please contact your local distributor for further information.

# Product family datasheet

### Technical data

	Product information				General Product Information		Electrical Data		
Product description	Application (Category and Product specific)		Product type (off- road vs. on-road)		Global order reference		Nominal voltage		
LEDriving SL $\triangleq$ P27/7W		Mainly used for O signal/ indicator P2 applications		3157DV	3157DWP		12 V		
					Photometric	Data	Physical A Dimension	ttributes & s	
Product description	Nominal wattage		Power input toleranc e	Test voltage			Lamp base		
LEDriving SL ≙ P27/7W	1 W		±25 %	13.5 V	145/30 lm		W2.5x16q		
							Lifetime D	ata	
Product description	Length		Diameter		Diameter		Lifespan B3	Lifespan Tc	
LEDriving SL ≙ P27/7W	49.0 mm		25.7 mm		25.7 mm		1500 hr	4000 hr	
	Capabilities	ities Environmental & Regulatory Information Information according Art. 33 of EU Regulation (EC) 1907/2006 (REACh)							
Product description	Technology	Primary article identifier			Candidate list substance 1		CAS No. of substance 1		

Product description	Safe use instruction	Declaration no. in SCIP database
LEDriving SL ≜ P27/7W	The identification of the Candidate List substance is sufficient to allow safe use of the article.	29e5e603-3b88- 4f05-9f2b- 944024bdbaa9

4062172151641 |

4062172401753

Lead

LED<sup>1)</sup>

 $^{1)}$  Light-emitting diode lamp

LEDriving SL  $\triangleq$  P27/7W

\_

7439-92-1

## Product family datasheet

#### Download Data

File
User instruction GPRS_Safety symbols instructions
Brochures LEDriving Retrofits - Exchange overview (EN)

#### Safety advice

Canbus compatibleColoured lamps for usage behind coloured glass

#### Legal advice

These products do not have ECE approval and must not be used on public roads in any exterior application. Public roads use leads to cancellation of operating license and loss of insurance coverage. Several countries forbid sale and use of these products. Please contact your local distributor for further information.

#### **Application advice**

For more detailed application information and graphics please see product datasheet.

#### Disclaimer

Subject to change without notice. Errors and omission excepted. Always make sure to use the most recent release.