OSRAM

LEDinspect TWIST250

Inspectionlights





Multi-Angle Flex & Twist High flexibility and diverse adjustment possibilities thanks to multi angle positioning



2 light functions:Up to 250lm -highUp to 125lm -low



2in1
Inspectionlight & Torchlight
function



2-year-OSRAM guarantee*
Systematic quality assurance
measures underpin the
premium workmanship and
functionality of our products.
Innovative technology and
excellent quality really pay
dividends for our customers.



Light is versatile

With the TWIST 250 you have the possibility to easily control the direction of the light beam. A light output of up to 250 lumens and a colour temperature of up to 6000K, make the TWIST 250 ideal for use in workshops and beyond. Lightweight, robust and with a 360° rotation and a 180° grid function, it is an optimal tool for targeted lighting. Mains charger included. In addition, OSRAM provides a 2-year guarantee on this product*

Product family datasheet

Technical data

	Product information	ct information General Product Information		Electrical Data		
Product description	Application (Category and Product specific)	Global order reference		Nominal wattage		Nominal voltage
INSPECTION LAMP	LED inspection lights	LEDIL412		8 W		3.7 V
	Photometric Data				Physica Dimen	al Attributes & sions
Product description	Color temperature	Nominal luminous flux		Light color LED	Product weight	
INSPECTION LAMP	6000 K 250 lm White		White	488.00 g		
						LED module information
Product description	Length	Width		Height		Number of LEDs per module
INSPECTION LAMP	243.0 mm	50.0 mm		44.0 mm		2
	Colors & materials	Lifetime Data	Additional product data			
Product description	Base color	Guarantee	,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,		Number batteries	of included s
INSPECTION LAMP	Black / Orange	2 years	Recharg	eable 1		
		Capabilities	Certificates & standards		Logistical data	
Product description	Scope of battery	Technology	IK Class		Watt hour per battery	
INSPECTION LAMP	Yes	LED	IK09		8.14	
	Environmental & Regul			(EC) 1907/2006	6 (REACh))
Product description	Candidate list substance 1	CAS No. of substance		Safe use instruction		Declaration no. in SCIP database
INSPECTION LAMP	Lead	7439-92-1		The identification of the Candidate List substance is sufficient to allow safe use of the article.		c20eb463-09bd- 4c1e-8bd5- 69238c3db62e

Product family datasheet

Download Data

	File
	User instruction LEDinspect TWIST 250
*	User instruction GPRS_Safety symbols instructions
D	Movie application LEDinspect Inspection Lights Trailer

Legal advice

Application advice:

For more detailed application information and graphics please see product datasheet and user instruction.*for precise conditions please refer to:

www.osram.com/am-guarantee

Application advice

For more detailed application information and graphics please see product datasheet.

Disclaimer

Subject to change without notice. Errors and omission excepted. Always make sure to use the most recent release.