OSRAM

LEDinspect TWIST250

Inspectionlights





Multi-Angle Flex & Twist adjustment possibilities

High flexibility and diverse thanks to multi angle positioning



250 Lumen

2 light functions:Up to 250lm -highUp to 125lm -low



2in1

Inspectionlight & Torchlight function



2-year-OSRAM guarantee*

Systematic quality assurance measures underpin the premium workmanship and functionality of our products. Innovative technology and excellent quality really pay dividends for our customers.



Light is versatile

With the TWIST 250 you have the possibility to easily control the direction of the light beam. A light output of up to 250 lumens and a colour temperature of up to 6000K, make the TWIST 250 ideal for use in workshops and beyond. Lightweight, robust and with a 360° rotation and a 180° grid function, it is an optimal tool for targeted lighting. Mains charger included. In addition, OSRAM provides a 2-year guarantee on this product*

Product family datasheet

Technical data

	Product information	General Proc Information	General Product Information		Electrical Data		
Product description	Application (Catego and Product specific		Global order reference		ge	Nominal wattage	
INSPECTION LAMP	LED inspection ligh	ts LEDIL412		3.7 V		8 W	
	Photometric Data				Physica Dimens	cal Attributes &	
Product description	Light color Nor LED flux	minal luminous	luminous Color temperature		Height		
INSPECTION LAMP	White 250) lm	6000 K	(44.0 m	m	
						LED module information	
Product description	Width	Length		Product weigh	t	Number of LEDs per module	
INSPECTION LAMP	50.0 mm	243.0 mm		488.00 g		2	
	Colors & materials	Lifetime Data	Additional product data				
Product description	Base color	Guarantee	Scope of			Number of included batteries	
INSPECTION LAMP	Black / Orange	2 years	Yes		1		
		Capabilities	Certificates & standards		Logistical data		
Product description	Type of Battery	Technology	IK Class		Watt hour per battery		
INSPECTION LAMP	Rechargeable	LED	IK09		8.14		
	Environmental & Regulatory Information Information according Art. 33 of EU Regulation (EC) 1907/2006 (REACh)						
Product description	Candidate list substance 1	CAS No. of se	ıbstance	Safe use instru	ıction	Declaration no. in SCIP database	
INSPECTION LAMP	Lead	7439-92-1		The identificat the Candidate substance is sufficient to al safe use of the article.	List low	c20eb463-09bd- 4c1e-8bd5- 69238c3db62e	

Product family datasheet

Download Data

File User instruction LEDinspect TWIST 250 User instruction GPRS_Safety symbols instructions Movie application LEDinspect Inspection Lights Trailer

Legal advice

Application advice:

For more detailed application information and graphics please see product datasheet and user instruction.*for precise conditions please refer to:

www.osram.com/am-guarantee

Application advice

For more detailed application information and graphics please see product datasheet.

Disclaimer

Subject to change without notice. Errors and omission excepted. Always make sure to use the most recent release.