OSRAM

LEDriving SL R5W

Ideal replacement for any vehicle



Suitable for various vehicle interior and exterior applications

Available in Cool White



Replaces conventional R5W lamps

Easy upgrade to LED technology with plug & play solutions



Reliable OSRAM quality stands for less lamp replacements

4-year guarantee (refer to www.osram.com/am-guarantee for precise conditions)



Suitable LED replacement for R5W

LEDriving SL R5W replacement lamps offer a modern and intense light with a color temperature up to 6,000 Kelvin. These replacement lamps are suitable for all conventional R5W lamp bases. In comparison to standard lamps, these LED retrofit lamps use up to 80% less energy. OSRAM offers a 4 year guarantee for these LEDriving SL lamps. These products do not have ECE approval and must not be used on public roads in any exterior application. Public roads use leads to cancellation of operating license and loss of insurance coverage. Several countries forbid sale and use of these products. Please contact your local distributor for further information.

Product family datasheet

Technical data

	Electrical Data			Photometric Data	
Product description	Power input	Nominal voltage	Nominal wattage	Test voltage	Nominal luminous flux
LEDriving SL ≙ R5W	0.5 W	12 V	0 W	13.5 V	50 lm

		Physical Attributes & Dimensions		Lifetime I	Lifetime Data	
Product description	Luminous flux tolerance	Diameter	Diameter	Lifespan B3	Lifespan Tc	
LEDriving SL	±25 %	19.0 mm	19.0 mm	1500 hr	4000 hr	

Environmental & Regul Information according A	atory Information Art. 33 of EU Regulation (EC) 1907/2006 (REACh)	
Primary article identifier	Candidate list substance 1	CAS No. of substance	Safe use instru

Product description	Primary article identifier	Candidate list substance 1	CAS No. of substance	Safe use instruction
LEDriving SL ≙ R5W	406217222204 4062172401272 4062172222808	Lead	7439-92-1	The identification of the Candidate List substance is sufficient to allow safe use of the article.

Product description	Declaration no. in SCIP database
LEDriving SL ≙ R5W	ed22dc4a-de9c-48c7-
	87d1-8683a8a955c6
	b0b06a88-7534-
	4ad7-9f8e-
	Of35b1bbfcaf
	3369df63-b34e-453f-
	89eb-d7370d8c3cbf

Product family datasheet

Download Data

File



User instruction

GPRS_Safety symbols instructions



Brochures

LEDriving Retrofits - Exchange overview (EN)

Safety advice

Canbus compatible

Legal advice

These products do not have ECE approval and must not be used on public roads in any exterior application. Public roads use leads to cancellation of operating license and loss of insurance coverage. Several countries forbid sale and use of these products. Please contact your local distributor for further information.

Application advice

For more detailed application information and graphics please see product datasheet.

Disclaimer

Subject to change without notice. Errors and omission excepted. Always make sure to use the most recent release.