

LEDinspect WIRE-FREE SLIM 600



Wire-Free charging compatible

Simply place on the Wire-Free charging pad to securely hold and recharge



Slim design

Easily place bright 600 Lumens white light where you need it most



Built to last

IK08 and IP54 rated to survive the rigors of the professional workshop



The easiest way to recharge inspection lights

Inspection lights are a vital part of any professional's toolbox. Removing the need to find and plug into the correct charging cable, OSRAM's wire-free inspection lights recharge without hassle by simply being placed on the magnetic charging pad. This innovative design not only enhances convenience but also supports an uninterrupted workflow.

Product family datasheet

Technical data

Product description

INSPECTION LAMP

Product information	General Product Information	Electrical Data	
Application (Category and Product specific)	Global order reference	Nominal watta	ge Nominal voltage
LED inspection lights	LEDIL422	5 W	3.7 V
Photometric Data			Physical Attributes & Dimensions
Color temperature	Nominal luminous flux	Light color LED	Product weight
5700 K	600 lm	White	240.00 g
			Lifetime Data
Length	Width	Height	Guarantee
325.0 mm	43.0 mm	37.0 mm	2 years
	and Product specific) LED inspection lights Photometric Data Color temperature 5700 K Length	Application (Category and Product specific) LED inspection lights Color temperature S700 K Color temperature Nominal luminous flux 600 lm Length Width	Application (Category and Product specific) LED inspection lights LEDIL422 5 W Photometric Data Color temperature Nominal luminous flux Light color LED 5700 K 600 lm White

Product description	Safe use instruction	Declaration no. in SCIP database
INSPECTION LAMP	The identification of the Candidate List substance is sufficient to allow safe use of the article.	39eac002-3892- 45bc-922c- 294d6f9430fb

Watt hour per battery

9.20

Candidate list

substance 1

Lead

CAS No. of substance

7439-92-1

Technology

LED

Product family datasheet

Download Data

File



User instruction

LEDinspect WIRE-FREE SLIM 600



User instruction

GPRS_Safety symbols instructions

Application advice

For more detailed application information and graphics please see product datasheet.

Disclaimer

Subject to change without notice. Errors and omission excepted. Always make sure to use the most recent release.