

# Blacklight Blue UV-A




Product features and benefits

- Long-wave radiation: 300...400 nm
- Visible radiation is almost completely absorbed



May 16, 2025, 08:50:10 Blacklight Blue UV-A



BLACKLIGHT BLUE L 18W/73

BLACKLIGHT BLUE

#### Technical data

nformation		Photometric Data	Physical Attributes & Dimensions
Global order reference	Nominal wattage	Radiated power 315400 nm (UVA)	Lamp base
SUPRATEC 18 W/73	18 W	3.5 W	G13
Dperating L Conditions		Environmental & Regulatory Information Information according Art. 33 of EU Regulation (EC) 1907/2006 (REACh)	
Burning position		•	Declaration no. in SCIP database
Any 2		4052899519527	4cf41eb8-0ed2- 4b84-866a- a58f90e067e0
	eference UPRATEC 18 W/73 Operating conditions urning position	eference Image: Constraint of the second s	eference 315400 nm (UVA)   UPRATEC 18 W/73 18 W 3.5 W   Operating conditions Lifetime Data Environmental & Regular Information according Ar Regulation (EC) 1907/20   turning position Nominal lifetime Primary article identifier   any 2000 hr 4052899523517   4052899519527

Product description	Candidate list substance 1	CAS No. of substance 1	Safe use instruction
SUPRATEC 18 W/73	Lead	7439-92-1	The identification of
			the Candidate List
			substance is
			sufficient to allow
			safe use of the
			article.

#### Application advice

For more detailed application information and graphics please see product datasheet.

#### Disclaimer

Subject to change without notice. Errors and omission excepted. Always make sure to use the most recent release.